




# Cargo Lifting Solutions

## 货物提升解决方案



MORN GROUP LIMITED

Jinan MORN Technology Co., Ltd

山东圣匠机械制造有限公司



Phone (电话): +86 18660129317 +86 531 88692337



Email (邮箱): [contact@mornlift.com](mailto:contact@mornlift.com)



Website (网站): [www.mornlift.com](http://www.mornlift.com) (EN)

[www.mornlift.cn](http://www.mornlift.cn) (中文)



Address: No.14, Xinlonghai Industrial Park, Qudi Town, Jiyang District, Jinan, China

地址: 济南市济阳区曲堤镇新龙海工业园14号

MORN GROUP LIMITED  
Jinan MORN Technology Co., Ltd

山东圣匠机械制造有限公司

# About Us

Jinan MORN Technology Co., Ltd (MORN GROUP LIMITED) is a professional manufacturer of CARGO LIFTS, CAR LIFTS, RESIDENTIAL LIFTS, AERIAL WORK PLATFORMS in northern China. Branded with MORN LIFT, we have been abiding by the motto "Safety, Service, Integrity, and Efficiency" since the company was founded in 1999.

We manufacture products strictly according to the People's Republic of China Machinery Industry standards and CE standards, keeping improving product quality and launch new products to satisfy market growth and respond to customer's feedback. We design, engineer and manufacture both custom and standard lift products for goods handling and aerial work, with full consideration of users' work requirements, installation sites and budgets. Safety, durability and efficiency are basic standards of our product quality.

Designed to improve users' work productivity while reducing the potential injuries, all our lift products are made of quality raw materials, international brand electric parts and advanced manufacturing techniques. We also employ the largest most experienced engineering staff in the business so a custom engineered solution is always an option. Customers come to MORN LIFT from a wide range of industries. View our products to find out more information about how we can help you solve your lifting and handling challenges whatever the industry or application. If the standard models fail to meet your requirement well, we can customize an ergonomic solution using a standard model for the base design to minimize costs or build a custom solution from the ground up.

Thanks to the concerted effort of our 360 experienced technicians, including 26 senior engineers and over 150 sales and professional pre-sales & after-sales staff, we have been able to double our growth rate year by year. Product quality and user's experience are the first priority in our business. We strive to make every customer's budget employ the maximum value.

Today, MORN LIFT has successfully applied for several national patents, and filled many gaps in the domestic market. Over two decades of development has laid a strong foundation for us to grow into a competitive leader of lift industry. Our ultimate goal is to create, innovate and maintain our industry leadership in the lift industry, and help every customer find the best lifting solution with their budgets.

Sincerely, it's our honor to provide product information, quotations and cooperation business for every customer. Look forward to building a win-win relationship with every of our customers.

## 关于我们

山东圣匠机械制造有限公司专业研发/生产液压升降平台，产品涵盖五大系列，货物升降平台、汽车升降平台、高空作业平台、家用电梯、物流搬运设备；

其中导轨式升货平台、剪叉式升货平台、剪叉式升车平台、家用电梯等定制化产品，除了在国内反馈良好以外，在欧美及中东地区也享有盛誉；定制化的解决方案、专业的设计、良好的服务、不断创新的理念使得我们在同行业中遥遥领先。

另外我们生产的剪叉式、臂式、铝合金式高空作业平台广泛用于厂房维护、工业安装、设备检修、物业管理、仓库、航空、机场、港口、车站、加油站、体育场、展览馆等许多行业和场所。

公司自成立以来始终坚持创新、持续研发、保证质量、重视售后，和霍尼韦尔、联想、尼康、三菱等保持良好的合作。先后通过了ISO9001的2000质量体系认证，并已通过了CE认证。除了国内市场，我们的产品还远销国外，并得到国外用户的认可和良好反馈。用质量成就产品，靠口碑赢得客户，我们一直致力于创新设计，提升品质和用户体验。

关于产品的详细信息、报价或商业合作，欢迎垂询！


# Contents 产品/目录

# CONTENTS

● <b>Cargo Lift Series 导轨系列</b>	
1.1 Two Post Cargo Lift 单轨导轨	01
1.2 Four Post Cargo Lift 双轨导轨	03
● <b>Scissor Lift Table Series 固剪系列</b>	
2.1 Small Scissor Lift Table 小固剪	05
2.2 Heavy Duty Scissor Lift Table 大固剪	07
2.3 Low Profile Scissor Lift Table 低自高固剪	09
● <b>Four Post Lift 四柱货梯</b>	11
● <b>Dumbwaiter 传菜机</b>	13
● <b>Loading &amp; Unloading Equipment 装卸车设备</b>	
5.1 Loading Dock Scissor Lift 装卸货固剪	15
5.2 Mobile Loading Ramp 移动式登车桥	17
5.3 Sectional Loading Ramp 分段式登车桥	18
5.4 Stationary Loading Ramp 固定式登车桥	19
5.5 Mobile Loading Platform 移动装卸平台	20
5.6 Mini Forklift 迷你叉车	21



# Two Post Cargo Lift 单轨导轨



Two post cargo lift, also called wall mounted goods lift, is suitable for handling goods in small space with smaller capacity. It provides a fast, efficient, convenient and safe access to mezzanines, basements, and any levels in multi-storied buildings for goods. Custom design is available in loading capacity, platform size and travel height, based on your work requirements.

单轨货物升降机又称为壁挂式货物升降机，适用于小空间、小容量的货物搬运。它提供了一种快速、高效、方便和安全的货物搬运方式。在多层楼的夹层、地下室以及任何多层建筑中皆可安装使用。我们的货物升降机在装载能力，平台尺寸和升降高度上可根据您的工作要求进行定制设计。

Two Post Cargo Lift Parameters  
单轨导轨参数表

Model 型号	Load Capacity (kg) 载重	Platform Size (mm) 平台尺寸	Travel Height (mm) 升降高度	Pit Depth (mm) 地坑深度	Dimension (mm) 设备尺寸
LRL0.3-4	300	1200×1500	4000	200	1550×1650×6000
LRL0.5-2.4	500	1000×1000	2400	200	1350×1150×4500
LRL0.5-3.3	500	900×1300	3300	200	1250×1450×5300
LRL0.8-3	800	1100×1200	3000	200	1450×1350×5000
LRL1-6	1000	800×900	6000	250	1300×950×8000
Custom Models 定制型号	Custom design is available in loading capacity, platform size and travel height, based on your work requirements. 可根据您的工作要求，在装载能力、平台尺寸和升降高度上进行定制设计。				

Scan or click the QR code to check product video.


扫描或点击二维码查看产品视频。



# Two Post Cargo Lift 3D Design Drawings 单轨导轨3D设计参考图

Free 3D design drawings are one of our advantages that meet various lifting requirements of worldwide customers. MORN LIFT engineer team is specialized in designing lift equipment with rich industrial experience and AutoCAD and 3D SolidWorks software to provide custom service.

免费的3D设计是我们的特色服务之一。MORN LIFT工程师团队拥有丰富的行业经验，善于利用AutoCAD和3D SolidWorks软件为客户提供定制服务。凭借这项优势，我们的升降机产品得到海内外客户的广泛支持与好评。



Application  
场景应用



# Four Post Cargo Lift 双轨导轨



Four post Cargo Lifts provide a fast, efficient, convenient and safe access for goods to reach mezzanines, basements, and any levels in multi-storied buildings. Cargo lift is widely used in indoor or outdoor workplaces of the buildings and warehouses, lifting goods or pallets among different vertical floors. Custom design is available in loading capacity, platform size and travel height, based on your work requirements.

双轨导轨升降机提供了一个快速、高效、方便和安全的货物运输通道。在多楼层的夹层、地下室以及任何多层建筑中皆可安装使用。它广泛应用于建筑物和仓库的室内外工作场所，在垂直楼层之间升降货物或托盘。我们的货物升降机在装载能力，平台尺寸和升降高度上可根据您的工作要求进行定制设计。

Four Post Cargo Lift Parameters  
双轨导轨参数表

Model 型号	Load Capacity (kg) 载重	Platform Size (mm) 平台尺寸	Travel Height (mm) 升降高度	Pit Depth (mm) 地坑深度	Dimension (mm) 设备尺寸
LRL3-2.4	3000	2000×2000	2400	350	2800×2160×4900
LRL2-5	2000	2100×1200	5000	350	2850×1360×7500
LRL1-4.5	1000	2100×1500	4500	350	2750×1650×7000
LRL5-6.5	5000	2200×1600	6500	350	3000×1750×9000
LRL3-6.5	3000	2200×1900	6500	350	2950×2050×9000
Custom Models 定制型号	Custom design is available in loading capacity, platform size and travel height, based on your work requirements. 可根据您的工作要求，在装载能力、平台尺寸和升降高度上进行定制设计。				

Scan or click the QR code to check product video.


扫描或点击二维码查看产品视频。



# Four Post Cargo Lift 3D Design Drawings 双轨导轨3D设计参考图

Free 3D design drawings are one of our advantages that meet various lifting requirements of worldwide customers. MORN LIFT engineer team is specialized in designing lift equipment with rich industrial experience and AutoCAD and 3D SolidWorks software to provide custom service.

免费的3D设计是我们的特色服务之一。MORN LIFT工程师团队拥有丰富的行业经验，善于利用AutoCAD和3D SolidWorks软件为客户提供定制服务。凭借这项优势，我们的升降机产品得到海内外客户的广泛支持与好评。



Application  
场景应用



# Small Scissor Lift Table 小固剪



The small scissor lift table is one of MORN LIFT featured products with standard travel height, platform size, and load capacity. This product can be manufactured in an advanced large-scale production line, so the delivery time is shorter than custom models. Durable quality and high safety performance contribute our scissor lift table to become a popular lift equipment in many industries.

小型剪刀式升降台（小固剪）是MORN LIFT的特色产品之一，具有标准的升降高度、平台尺寸和负载能力。该产品可在我们先进的生产线上进行大规模生产，可快速交货。我们的剪叉式升降台凭借耐用的质量和高度安全的性能在许多行业中备受欢迎。

## Small Scissor Lift Table Parameters

小固剪参数表

Model 型号	Load Capacity (kg) 载重	Platform Size (mm) 平台尺寸	Travel Height (mm) 升降高度	Min. Height (mm) 最低高度	Power (kw) 功率
SSL1-1	1000	1350×800	810	190	0.75
SSL2-1.05	2000	1350×800	820	230	0.75
SSL4-1.1	4000	1700×1200	860	240	2.2
SSL4-1.1B	4000	2000×1200	860	240	2.2
SSL1-1.5	1000	1300×820	1478	302	1.5
Custom Models 定制型号	Custom design is available in loading capacity, platform size and travel height, based on your work requirements. 可根据您的工作需求，在装载能力、平台尺寸和升降高度上进行定制设计。				

Scan or click the QR code to check product video.


扫描或点击二维码查看产品视频。



## Small Scissor Lift Table 3D Design Drawings 小固剪3D设计参考图


Free 3D design drawings are one of our advantages that meet various lifting requirements of worldwide customers. MORN LIFT engineer team is specialized in designing lift equipment with rich industrial experience and AutoCAD and 3D SolidWorks software to provide custom service.

免费的3D设计是我们的特色服务之一。MORN LIFT工程师团队拥有丰富的行业经验，善于利用AutoCAD和3D SolidWorks软件为客户提供定制服务。凭借这项优势，我们的升降机产品得到海内外客户的广泛支持与好评。



## Application

场景应用



# Heavy Duty Scissor Lift Table 大固剪



Heavy duty scissor lift table provides the best solution for loading and offloading goods between trucks and ground floor. It could be fixed in a concrete pit or directly on the ground level. Its capacity can be varied from 300kg to 50 tons, being applicable for kinds of working conditions. Powered by hydraulic power, it has high safety features and devices to guarantee worker's safety and efficiency.

大型剪叉式升降台（大固剪）为货车与地面之间的货物装卸提供了最佳的解决方案。它可以固定在混凝土地坑中进行安装或直接安装在地面上。载重范围为300千克至50吨，适用于各种工作环境。采用液压驱动系统，我们的大固剪配有多种安全装置，安全系数高，充分保障工人安全和工作效率。

## Heavy Duty Scissor Lift Table Parameters 大固剪参数表

Lifting Height 升降高度	1600mm or custom可定制
Load Capacity 载重	Custom可定制
Platform Size 平台尺寸	2500*4000mm or custom可定制
Power 功率	7.5kw
Voltage 电压	220V/50HZ (or custom for local power supplies) 可根据当地电压进行定制
Driving System 动力系统	Hydraulic system液压系统
Controls 控制方式	Control box/Hand controller/Remote controller 控制箱/手动按键/遥控器
Installation 安装方式	Pit installation or directly fix it on the ground 地坑安装或直接安装于地面上

Scan or click the QR code to check product video.

扫描或点击二维码查看产品视频。



## Heavy Duty Scissor Lift Table 3D Design Drawings 大固剪3D设计参考图

Free 3D design drawings are one of our advantages that meet various lifting requirements of worldwide customers. MORN LIFT engineer team is specialized in designing lift equipment with rich industrial experience and AutoCAD and 3D SolidWorks software to provide custom service.

免费的3D设计是我们的特色服务之一。MORN LIFT工程师团队拥有丰富的行业经验，善于利用AutoCAD和3D SolidWorks软件为客户提供定制服务。凭借这项优势，我们的升降机产品得到海内外客户的广泛支持与好评。



## Application 场景应用



# Low Profile Scissor Lift Table 低自高固剪



A low profile scissor lift is an optimal solution for pallet handling and packaging lines. It offers the ease of direct loading without the need of pit installation. Equipped with a ramp, any load on wheels can be rolled on the platform and lifted up to an ergonomic working height. Contact us to get a customized solution.

低自高剪叉升降台是托盘处理和包装生产线优选的货物升降解决方案。这种方便直接的升降设备安装时无需地坑。它配有专门的坡道，方便货物进出平台，并提升到符合人体工学的工作高度。联系我们，可获得定制的解决方案。

## Low Profile Scissor Lift Table Parameters

### 低自高固剪参数表

Model 型号	Load Capacity (kg) 载重	Platform Size (mm) 平台尺寸	Travel Height (mm) 升降高度	Min. Height (mm) 最低高度	Power (kw) 功率
SSL1-0.8	1000	1420×1140	860	85	0.75
SSL1.5-0.8	1500	1600×1160	860	105	0.75
SSL2-0.8	2000	1600×1160	860	105	1.5
SSL1.5-1.5	1500	2700×1850	1500	150	4
SSL3-1.5	3000	2200×2000	1500	200	5.5
SSL4-1.5	4000	3000×2000	1500	150	5.5
SSL4-1.6	4000	3500×2500	1600	150	5.5
Custom Models 定制型号	Custom design is available in loading capacity, platform size and travel height, based on your work requirements. 可根据您的工作需求，在装载能力、平台尺寸和升降高度上进行定制设计。				

Scan or click the QR code to check product video.


扫描或点击二维码查看产品视频。



## Low Profile Scissor Lift Table 3D Design Drawings 低自高固剪3D设计参考图

Free 3D design drawings are one of our advantages that meet various lifting requirements of worldwide customers. MORN LIFT engineer team is specialized in designing lift equipment with rich industrial experience and AutoCAD and 3D SolidWorks software to provide custom service.

免费的3D设计是我们的特色服务之一。MORN LIFT工程师团队拥有丰富的行业经验，善于利用AutoCAD和3D SolidWorks软件为客户提供定制服务。凭借这项优势，我们的升降机产品得到海内外客户的广泛支持与好评。



## Application

### 场景应用



# Four Post Lift 四柱货梯



Four post lift is a kind of heavy-duty cargo lift solutions, widely used in warehouse, factories, vertical production lines, and any buildings where material handling is needed. Safety and efficiency are the major consideration of our design and manufacture on lift products. Custom service available for different work requirements.

四柱货梯是一种重型货物升降机解决方案，广泛应用于仓库、工厂、垂直生产线，以及任何需要物料搬运的工作场所。安全性和效率是我们设计和制造升降机产品的主要考虑因素。我们的定制服务可满足您不同的工作需求。

## Four Post Lift Parameters

四柱货梯参数表

Model 型号	Load Capacity (kg) 载重	Platform Size (mm) 平台尺寸	Travel Height (mm) 升降高度	Min. Height (mm) 最低高度
LRL3-3	3000	2500×5500	3000	200
LRL5-3	5000	3000×5800	3000	200
LRL3-6	3000	2500×5500	6000	200
LRL3-9	3000	2500×5500	9000	200
LRL5-9	5000	3000×5800	9000	200
LRL3-18	3000	2500×5500	18000	200
Custom Models 定制型号	Custom design is available in loading capacity, platform size and travel height, based on your work requirements. 可根据您的工作需求，在装载能力、平台尺寸和升降高度上进行定制设计。			

Scan or click the QR code to check product video.


扫描或点击二维码查看产品视频。



## Four Post Lift 3D Design Drawings 四柱货梯3D设计参考图

Free 3D design drawings are one of our advantages that meet various lifting requirements of worldwide customers. MORN LIFT engineer team is specialized in designing lift equipment with rich industrial experience and AutoCAD and 3D SolidWorks software to provide custom service.

免费的3D设计是我们的特色服务之一。MORN LIFT工程师团队拥有丰富的行业经验，善于利用AutoCAD和3D SolidWorks软件为客户提供定制服务。凭借这项优势，我们的升降机产品得到海内外客户的广泛支持与好评。



## Application

场景应用



# Dumbwaiter Lift 传菜机



Dumbwaiter lift is used widely in kitchens, offices, hospitals, clinics, retirement homes, storehouses or other places for transferring food, cooking utensils, raw materials, office files etc. It can be customized in load capacity, size and lifting height.

传菜机广泛应用于厨房、办公室、医院、诊所、养老院、仓库或其他场所，用于运送食品、炊具、原材料、办公文件等。承载能力、尺寸和升降高度可根据客户要求定制。

## Dumbwaiter Lift Parameters

### 传菜机参数表

Load Capacity 载重	200kg or custom 可定制
Nominal Speed 额定速度	0.4m/s
Pit Depth 地坑深度	400mm
Lifting Height 升降高度	Custom 可定制
Platform Size 平台尺寸	Custom 可定制
Material 材质	Stainless steel AISI 304 不锈钢

- Compact and space-saving 结构紧凑,节省空间
- Efficient and flexible 工作灵活高效
- Water-proof and rust-proof 防水防锈
- Custom design available. 支持定制化设计。

Scan or click the QR code to check product video.



扫描或点击二维码查看产品视频。



## Four Post Lift 3D Design Drawings 四柱货梯3D设计参考图

Free 3D design drawings are one of our advantages that meet various lifting requirements of worldwide customers. MORN LIFT engineer team is specialized in designing lift equipment with rich industrial experience and AutoCAD and 3D SolidWorks software to provide custom service.

免费的3D设计是我们的特色服务之一。MORN LIFT工程师团队拥有丰富的行业经验，善于利用AutoCAD和3D SolidWorks软件为客户提供定制服务。凭借这项优势，我们的升降机产品得到海内外客户的广泛支持与好评。



## Application 场景应用



# Loading Dock Scissor Lift 装卸货固剪



Loading dock scissor lift provides the best solution for loading and offloading goods between trucks and ground floor. It could be fixed in a concrete pit or directly on the ground level. Its capacity can be varied from 300kg to 50 tons, being applicable for kinds of working conditions. Powered by hydraulic power, it has high safety features and devices to guarantee worker's safety and efficiency.

装卸货固剪为货车与地面之间的货物装卸提供了最佳的解决方案。它可以固定在混凝土土地坑中进行安装或直接安装在地面上。载重范围为300千克至50吨，适用于各种工作环境。采用液压驱动系统，我们的大固剪配有多种安全装置，安全系数高，充分保障工人安全和工作效率。

## Loading Dock Scissor Lift Parameters 装卸货固剪参数表

Lifting Height 升降高度	1600mm or custom 可定制
Load Capacity 载重	Custom 可定制
Platform Size 平台尺寸	2500*4000mm or custom 可定制
Power 功率	7.5kw
Voltage 电压	220V/50HZ (or custom for local power supplies) 可根据当地电压进行定制
Driving System 动力系统	Hydraulic system 液压系统
Controls 控制方式	Control box/Hand controller/Remote controller 控制箱/手动按键/遥控器
Installation 安装方式	Pit installation or directly fix it on the ground 地坑安装或直接安装于地面上

Scan or click the QR code to check product video.


扫描或点击二维码查看产品视频。



## Loading Dock Scissor Lift 3D Design Drawings 装卸货固剪3D设计参考图

Free 3D design drawings are one of our advantages that meet various lifting requirements of worldwide customers. MORN LIFT engineer team is specialized in designing lift equipment with rich industrial experience and AutoCAD and 3D SolidWorks software to provide custom service.

免费的3D设计是我们的特色服务之一。MORN LIFT工程师团队拥有丰富的行业经验，善于利用AutoCAD和3D SolidWorks软件为客户提供定制服务。凭借这项优势，我们的升降机产品得到海内外客户的广泛支持与好评。



## Application 场景应用



## Mobile Loading Ramp 移动式登车桥



Mobile loading ramps are movable cargo loading/unloading auxiliary equipment used along with forklifts. It is convenient for moving, and easy to install and arrange on site, one person can do it easily. You can enjoy safe and fast loading and unloading of goods from containers or trailers.

移动式登车桥是与叉车一起使用的可移动货物装卸辅助设备。移动方便，现场易于安装，一人即可轻松完成。利用该设备，您可以安全快捷地从集装箱或拖车上装卸货物。

### Mobile Loading Ramp Parameters

移动式登车桥参数表

Model 型号	Load Capacity (kg) 载重	Working Height 工作高度	Working Gradient 工作坡度	Dimension 尺寸	Power Mode 动力模式
MDR-6	6T	1.1-1.7m	≤13°	11.2*2*1.1 m	Manual or Electric Drive 手动或电力驱动
MDR-8	8T	1.1-1.7m	≤13°	11.2*2*1.1 m	Manual or Electric Drive 手动或电力驱动
MDR-10	10T	1.1-1.7m	≤13°	11.2*2*1.1 m	Manual or Electric Drive 手动或电力驱动
MDR-12	12T	1.1-1.7m	≤13°	11.2*2*1.1 m	Manual or Electric Drive 手动或电力驱动
MDR-15	15T	1.1-1.7m	≤13°	11.2*2*1.1 m	Manual or Electric Drive 手动或电力驱动

Scan or click the QR code to check product video.

扫描或点击二维码查看产品视频。



## Sectional Loading Ramp 分段式登车桥



The sectional loading ramp is a sturdy and foldable ramp used to assist in loading goods onto trailers, trucks or transport vehicles. It is easy to move and fold for convenient space-saving storage.

分段式登车桥是一种坚固的、可折叠的坡道，用于帮助装载货物到拖车、卡车或运输车辆上。它便于移动和折叠，节省储存空间。

### Sectional Loading Ramp Parameters

分段式登车桥参数表

Model 型号	MDR-6	MDR-8	MDR-10
Load Capacity (kg) 载重	6T	8T	10T
Platform Length 平台长度	3m	3m	3m
Dimension 尺寸	10.55*2*1.4 m	10.55*2*1.4 m	10.55*2*1.4 m
Slope Length 坡长	6.75m	6.75m	6.75m
Lip Length 舌板长度	0.35m	0.35m	0.35m
Tail Plate Length 尾板长度	0.8m	0.8m	0.8m
Weight 重量	2300kg	2400kg	2500kg
Power Mode 动力模式	Manual Hydraulic Outrigger 手动液压支腿		

Scan or click the QR code to check product video.

扫描或点击二维码查看产品视频。



## Stationary Loading Ramp 固定式登车桥



Stationary loading ramp, also called dock ramp, is mainly used for loading/unloading goods from/to containers or trucks. It's an auxiliary equipment for materials handling, and widely used in warehouse, wharf, logistics base, postal transportation, logistics distribution, etc.

固定式登车桥，又称码头坡道，主要用于集装箱或卡车装卸货物。它是物料搬运不可或缺的辅助设备，广泛应用于仓库、码头、物流基地、邮政运输、物流配送等领域。

Stationary Loading Ramp Parameters  
固定式登车桥参数表

Model 型号	Load Capacity (kg) 载重	Platform Length 平台长度	Lip Length 舌板长度	Dimension 尺寸	Power Mode 动力模式
MDR-6	6T	2.5m	0.4m	2.5*2*0.58 m	Hydraulic Power or Electric Power 液压动力或电力驱动
MDR-8	8T	2.5m	0.4m	2.5*2*0.58 m	
MDR-10	10T	2.5m	0.4m	2.5*2*0.58 m	
MDR-12	12T	2.5m	0.4m	2.5*2*0.58 m	
MDR-15	15T	2.5m	0.4m	2.5*2*0.58 m	

Scan or click the QR code to check product video.

扫描或点击二维码查看产品视频。



## Mobile Loading Platform 移动装卸平台



MORN LIFT mobile loading platform is a flexible equipment designed for loading and offloading goods or pallets from vehicles in places where no dedicated loading bays are deployed. Its liftable platform can be suitable for different heights of vehicle bodies. With a safe working load of 3000kg (or more if required) the size of the platform can be designed to suit your requirements.

MORN LIFT移动式装卸平台用于在没有专用装卸舱的地方装卸货物或托盘，移动灵活。可升降的平台可适应不同高度的车身。该平台的安全工作负荷可达3000kg(如有要求可定制)，平台的尺寸可根据您的要求进行设计。

Mobile Loading Platform Parameters  
移动装卸平台参数表

Model 型号	MLLP2	MLLP3	MLLP3S
Platform Size 平台尺寸	1600*2000mm	1600*2600mm	1600*2000mm
Lifting Height 升降高度	1.7m	1.7m	1.7m
Load Capacity 载重	2000kg	3000kg	3000kg
Dimension 设备尺寸	2250*2260*2450mm	2330*2930*2550mm	2330*2330*2550mm
Self-Weight 设备重量	750kg	1100kg-1300kg	880kg
Pump Station 泵站	3KW/380V		
Control System 控制系统	24V distribution box & wireless remote control 24V配电箱, 遥控器		

Scan or click the QR code to check product video.

扫描或点击二维码查看产品视频。



# Mini Forklift 迷你叉车



MORN LIFT Mini Forklift is designed to lift pallets or goods with 550kg load capacity and 1500mm lifting height. It is driven by battery power with a longer service life, ecological and economical. Mini Smart Forklift is an ideal facility to load/unload goods in stacking warehouses, supermarkets, workshops, production lines or handling goods on/off trucks, containers, etc.

MORN LIFT 迷你叉车是一款提升托盘或货物的叉车，载重550kg，升高1500mm。采用电池驱动，使用寿命更长，绿色环保。广泛用于仓库、超市、车间、生产线装卸货物或装卸货物上/下卡车、集装箱等。

## Mini Forklift Parameters

小叉车参数表

Load Capacity 载重	Lifting Height 升降高度	Dimension 设备尺寸	Self Weight 设备重量	Battery 电池
550kg	1500mm	1750x740x1250mm	130kg	2x12V/45Ah
<ul style="list-style-type: none"> <li>Hydraulic System 液压集成系统</li> <li>Emergency manually landing 紧急下降</li> <li>Overflow protection 液压系统溢流保护</li> <li>Overload protection 物超载保护</li> </ul>		<ul style="list-style-type: none"> <li>Lithium Battery / 45V / 2*12v/45Ah 锂电池 / 2*12v/45Ah</li> <li>Easily replaced 更换电池方便</li> <li>Over charge protection 电池过充 过放 短路保护</li> </ul>	<ul style="list-style-type: none"> <li>Recharge over 1500 times 耐用 1500次以上</li> <li>Power display 电池电量显示</li> </ul>	

Scan or click the QR code to check product video.

扫描或点击二维码查看产品视频。 



## Details 细节展示



## Application 应用场景

